

ROLECEV



Intelligent EV charging pedestal





#### **BASICCHARGE**

Intelligent EV charging pedestal

The BASICCHARGE is a simplistic and affordable EV charging pedestal. This versatile charger's integrated LED amenity lighting also provides greater visibility of the charging bays and surrounding areas.

This future-proof OCPP compliant pedestal can offer a simple plug & charge or pay-to-charge solution via the EV driver's smartphone and/or RFID card/fob through any chosen OCPP back-office management system.

Feature-rich, this EV charger supports dynamic load balancing and is equipped with PME fault detection, so there is no requirement for an earth rod, reducing installation costs.

Available in 1way or 2way versions, providing up to 22kW superfast charging.







#### **Product features**

- Plug & charge, mobile app or RFID controlled charging
- Choose from 1x or 2x universal charging socket(s)
- Up to 7.4kW or 22kW charging output(s)
- PME fault detection (no earth rod required)
- Supports dynamic load balancing & static load management
- OCPP 1.6 compliant (can integrate with any back-office)
- Over-the-air firmware / software updates
- Built-in AC overload & fault current protection (RCBO)
- Built-in 6mA DC leakage protection
- Dual tamper and breach security notifications
- Cable lock security feature (can be permanently locked by user)
- Integrated RFID reader
- LED amenity lighting head (Photocell controlled)
- MID-approved energy metering
- 4G / Wi-Fi / Ethernet connectivity
- IK10 impact resistant design
- Surface or root mountable
- OZEV grant fundable
- Designed & manufactured in the UK



Powered by

MÜNTA

back-office and mobile app partners:

💢 Fuuse

ev. energy





### OCPP 1.6 compliant

Ability to integrate with any OCPP compliant back-office management system and app.



#### Easy to operate

Three quick and easy ways to operate: mobile app, RFID cards and fobs or plug & charge.



Office for Zero Emission Vehicles

#### Eligible for grant funding

This range is approved for grant funding via the OZEV Workplace Charging Scheme (WCS).



#### 4G / Wi-Fi / Ethernet enabled

Complete with secure 4G, Wi-Fi and Ethernet connectivity, ensuring chargers are always online 24/7.



#### Branding & colour options available

Rolec offers a bespoke chargepoint branding service; from logos & brand colours, to vinyl wraps.



#### No earth rod required

Equipped with built-in PME fault detection, saving installation time and costs.



#### The details

### UP TO 22KW

Available in both single phase and three phase models, providing up to 22kW superfast charging.

BASICCHARGE is compatible with all EVs & PHEVs, charging at the fastest speed possible, ensuring vehicles are ready to go in no time.

# 2 WAY

The BASICCHARGE is available in 1way and 2way versions, allowing up to two vehicles to charge simultaneously, using just one EV charging pedestal.

The perfect EV charging pedestal solution for fleet, workplace and private car park requirements.



#### ACCURATE BILLING

Built-in MID-approved energy metering ensures accurate consumption reporting, which is essential for businesses and residential car parks, wishing to bill for their usage. Use our back-office management platform to generate revenue by setting your own tariffs.

## SECURE

Rest assured, Rolec's entire EV chargepoint range is fully UK Smart Charge Point Regulation compliant.

Over-the-air updates allow the chargers to receive the very latest features, ensuring a safe and future-proof product 24/7.

### 3 YEAR


**WARRANTY** 


Rolec EV chargepoints are designed, developed and manufactured in the UK and come with a 3 year warranty included as standard, for added peace of mind on your investment.




#### **Specifications**

#### **Product Overview:** Charging Input Output Supply Colour Code Type Black ROLEC0211B 1x 32A Single Phase 1x Type 2 (IEC 62196) Up to 7.4kW (32A) 230V AC (±10 %) ROLEC0211G Grey charging socket 50/60Hz White ROLEC0211W Single Phase Units Black ROLEC0221B 1x 63A Single Phase 2x Type 2 (IEC 62196) Up to 7.4kW (32A) 230V AC (±10 %) Grey ROLEC0221G charging sockets per socket 50/60Hz White ROLEC0221W Black ROLEC0213B 1x 32A Three Phase 1x Type 2 (IEC 62196) Up to 22kW (32A) 400V AC (±10 %) Grey ROLEC0213G charging socket 50/60Hz O White ROLEC0213W Three Phase Units Black ROLEC0223B 1x 63A Three Phase 2x Type 2 (IEC 62196) Up to 22kW (32A) 400V AC (±10 %) Grey ROLEC0223G charging sockets per socket 50/60Hz O White ROLEC0223W









### **Specifications**


Technical Data:		
User Interface	<ul> <li>Mobile app</li> <li>RFID reader (MIFARE ISO/IEC 14443 A)</li> <li>Plug &amp; charge</li> <li>RGB LED status indicator halo(s) - configurable</li> </ul>	
Charge Protocol	Mode 3 (IEC 61851-1)	
Protection	<ul> <li>AC overload &amp; fault current protection - 40A 30mA Type A RCBO (per socket)</li> <li>DC fault protection - 6mA</li> <li>Lightning surge, over temperature protection</li> <li>PME fault detection - No earth electrode/rod required</li> <li>Supports automatic dynamic load balancing (may require additional hardware)</li> <li>Supports static load management (software configurable)</li> </ul>	
Cable Terminals	<ul> <li>Single Phase - 3x 50mm 1P + N + E</li> <li>Three Phase - 5x 50mm 3P + N + E</li> </ul>	
Communications	<ul> <li>4G LTE Cat-1 (built-in nano SIM, subscription required)</li> <li>LTE FDD: B1/B3/B5/B7/B8/B20/B28</li> <li>GSM: B2/B3/B5/B8</li> <li>Wi-Fi 802.11 b/g/n 2.4 GHz (2412-2472 MHz / 2422-2462 MHz)</li> <li>NFC 13.56 MHz</li> <li>RJ45 Ethernet connection</li> <li>Bluetooth Low Energy (BLE 4.1) 2402-2480 MHz (for installer configuration purposes)</li> <li>OCPP 1.6J</li> <li>Cyber security - Data encryption level TLS 1.2</li> </ul>	
Energy Metering	Integrated Class 1 MID compliant metering	
Amenity Lighting	<ul> <li>360° Low energy LED</li> <li>Rating - 2 x G9 2.3W LED, 230-240V AC</li> <li>Colour temperature - 5000k</li> <li>Protection - 6A 30mA Type A RCBO</li> </ul>	
Standby Power Consumption	< 7.5W (per socket, excluding lighting)	
Dimensions	205mm x 1130mm x 205mm (W x H x D)	
Weight	< 15kg (model dependant)	
Environmental	<ul> <li>Ingress protection - Enclosure IP65, Socket IP54</li> <li>Impact protection - IK10</li> <li>Security - Dual tamper and breach notifications</li> <li>Operating temperature30°C to +50°C</li> <li>Operating humidity - 5% to 95%</li> </ul>	
Materials	<ul> <li>Substructure - Hot-dipped Galvanised Steel</li> <li>Panel - 3.2mm Aluminium composite</li> <li>Lens - High impact resistant 3mm Polycarbonate</li> <li>Lid/collar - ABS Granulate Natural Polyethylene</li> </ul>	
Unit Colour	■ Black ■ Grey ○ White ◎ Other colours available upon request	
Certifications & Compliances	<ul> <li>EV Charging Compliance - EN 61851-1:2019, EN 61851-22:2002</li> <li>Smart Charge Points - (SI 2021/1467)</li> <li>Wiring Regulations - BS 7671:2018+A2:2022</li> <li>EMC Compliance - EN 61000-6-3:2007+A1:2011, EN 61000-6-2:2005, 2014/30/EU, SI 2016/1091</li> <li>Safety Compliance (LVD) - EN 62368-1:2014, 2014/35/EU, SI 2016/1101</li> <li>Communications / RED - EN 62311:2008, 2014/53/EU, SI 2017/1206, EN 300 330 V2.1.1 (2017-02), EN 301 908-1 V15.1.1 (2021-09), EN 301 908-13 V13.2.1 (2022-02), EN 301 511 V12.5.1 (2017-03), EN 300 328 V2.2.2 (2019-07), EN 300 440 V2.2.1 (2018-07)</li> <li>Environmental Protection - BS EN 60529:1992+A2:2013</li> <li>Impact Rating - BS EN 62262:2002+A1:2021</li> <li>Metering - 2014/32/EU, SI 2016/1153</li> <li>ROHS - 2011/65/EU, SI 2012/3032</li> <li>REACH - 1907/2006, REACH etc. (Amendment) Regulations 2021</li> </ul>	
Warranty	Certification Markings - CE & UKCA      3 years	₽ CE
vvairanty	5 ,500.5	



#### **Options & accessories**

Product Code	Item Description
RFID0010 RFID0020	RFID card
GMCP0010	Ground mounting base for BasicCharge pedestal
EVCB0020 EVCB0040	Root mount protection barrier – 48mm  Surface mount protection barrier – 48mm
EVPS0010	EV parking sign - A4 landscape (Other sizes are available)
EVPP0100	5m 32A Type 2 to Type 2 charging cable
EVPP0107	10m 32A Type 2 to Type 2 charging cable
EVPP0105	5m 32A Three phase Type 2 to Type 2 charging cable
EVPP0108	10m 32A Three phase Type 2 to Type 2 charging cable (Other cables are available, including Type 1 options)
ACSR0125	100A up to 35mm² screened CT clamp with 10m cable





Brand names, logos and trademarks used herein remain the property of their respective owners. This listing of any firm or their logos is not intended to imply any endorsement or direct affiliation with Rolec Services Ltd. and is purely to demonstrate branding opportunities.










#### **Chargepoint management**



Monta's chargepoint management platform provides businesses and organisations with the ability to deploy and self-manage their very own electric vehicle charging network. Ideal for workplace, fleet, commercial and residential locations.



- Full & automated control of your chargepoints
- Of Unlock additional revenue streams
- Set chargepoints for public and/or private use
- Set different pricing for individual chargepoints & groups
- Mr Dynamic pricing allows operators to set pricing in line with their hour-by-hour energy cost
- + 🕅 Fully scalable solution; add or remove chargepoints & users
- Complete fleet management solutions with analytical feedback & reporting
- Reduce charging costs and CO<sub>2</sub> with Smart Charge feature
- Vehicle integration provides visibility of battery size, SOC, percentage & location etc.
- Automatically reimburse employees' home charging
- Smart queuing system that sends notifications to drivers when they become available
- Over-the-air updates and self-healing algorithms ensure charger stability & availability
- 514 Static, Dynamic or True Dynamic load balancing options
- EV Roaming feature, allowing chargepoints to be available on other apps



For more information about Monta's chargepoint management solutions and pricing, see the Powered by Monta Overview Sheet



#### Chargepoint operation



Charge your EV on your terms. With Monta you have full control over your charging experience, at home or on the road.

- Easily locate and navigate using the chargepoint map
- Remotely control your home EV charging
- Choose your ready time and choose to prioritise lower costs, lower CO₂ or only using renewable energy
- Schedule charges so your car is ready when you are
- Integrate with most EV manufacturer apps and cars
- Real-time information on your car and battery levels to maximize your charging experience
- Share and give charging access to friends, family and guests
- Set your home charger for public use with custom pricing
- 🖎 Access to over 300,000 public chargepoints across Europe
- Easily initiate charging and complete payments via credit card, Apple Pay, Google Pay or Monta Wallet
- Online chat or support line for help when you need it most







#### **RFID** activation

Great for quick activation, RFID cards or key fobs are easily accessible and add for a much simpler charging experience, which can also be used alongside the mobile app.



DOWNLOAD THE APP





For more details about the Monta solution for EV drivers and the Monta app, please visit www.monta.com/uk/home-charging



THIS DOCUMENT CONTAINS INFORMATION THAT IS SUBJECT TO CHANGE WITHOUT NOTICE.

The latest version of this publication can be downloaded at https://www.rolecserv.com/downloads-ev-charging

Illustrations of the product and user interface are for marketing purposes only.

Brand names, logos and trademarks used herein remain the property of their respective owners. This listing of any firm or their logos is not intended to imply any endorsement or direct affiliation with Rolec Services Ltd. and is purely to demonstrate branding opportunities.

@ 2023 by Rolec Services Ltd. All rights reserved. EVBD-V02-R7 BasicCharge Data Sheet





t: 01205 724754

e: enquiries@rolecserv.co.uk